



# UNITED

LABORATORIES



## United 984

The innovative Inter-Core Technology® combines the staying power of proven block technology with the instant concentrated dosage of a granular active.

- The core of the **LIBERATOR** consists of 10 billion CFU/g count of a special bacterial blend that is released as a slug dose into the waste stream within minutes.
- The **LIBERATOR** block is a special blend of bacteria. The 10 billion CFU/g block is designed to release its bacteria over an extended time (60-180 days).

Ideal for lift stations and mains, the **LIBERATOR** provides an initial slug dose and then a continual source of bacteria to biodegrade grease and other organic wastes. The slow release shell of the **LIBERATOR** provides 60-180 days of grease and odor control.

- Earth Smart® Certified.
- Eliminates odors.
- Near neutral pH.
- Reduces organic solids and sludge.
- Reduces Hydrogen Sulfide.
- Lowers BOD, COD, TSS and FOG.
- Easy installation with minimal ongoing attention.
- Works at temperature range of 48°F to 120°F, with an optimum temperature range of 60°F to 110°F.

# LIBERATOR

## Bacterial Treatment

### with Inter-Core Technology®

### Patented

**KEEP OUT OF REACH OF CHILDREN.**  
See other cautions on back/side panel.

**PRECAUCION AL USARIO:**

*Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.*

**Manufactured and Sold Exclusively By:**  
**UNITED LABORATORIES, INC.**  
320 37th Avenue • St. Charles, IL 60174  
1-800-323-2594 • [www.unitedlabsinc.com](http://www.unitedlabsinc.com)

### DIRECTIONS FOR USE:

**Manholes and Mains:** In manhole, **LIBERATOR** should be placed in the invert nearly vertically on the upstream end of the U channel.

**Lift Stations:** **LIBERATOR** should be used in low flow applications. Suspend the block so the entire block is submerged below the water at its lowest level.

Lift Station Flow	Number of Blocks
Under 50,000 GPD	1
50,000–100,000 GPD	2

### FIRST AID MEASURES:

**IF IN EYES:** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

**IF ON SKIN:** Wash off immediately with plenty of water for at least 15 minutes.

**IF INHALED:** Remove to fresh air.

**IF SWALLOWED:** Clean mouth with water and drink afterwards plenty of water.

An SDS for this product is available through United's website, [www.unitedlabsinc.com](http://www.unitedlabsinc.com), providing 24 hour access. Please read the SDS carefully and follow all directions when using or handling this product.