

Issue Date: 08-June-2016

Revision Date: 13-Sep-2016

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name United 699 Non-Fuming Liquid Sewer Line Maintainer

Other means of identification

SDS # UNITED-699

UN/ID No UN1814

Recommended use of the chemical and restrictions on use

Recommended Use Non-fuming Liquid Drain Pipe Opener.
Uses Advised Against For industrial and institutional use only.

Details of the supplier of the safety data sheet

Supplier Address

United Laboratories, Inc.
320 37th Avenue
St. Charles, IL 60174
www.unitedlabsinc.com
www.unitedlabsinc.ca

Emergency Telephone Number

Company Phone Number 800-323-2594 (to reorder)
Emergency Telephone (24 hr) INFOTRAC 1-800-535-5053 (North America)
1-352-323-3500 (International)

2. HAZARDS IDENTIFICATION

Appearance Clear or slightly hazy pink
syrupy liquid

Physical State Liquid

Odor No odor

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Harmful if swallowed.
Causes severe skin burns and eye damage.



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a poison center or doctor/physician.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 Wash contaminated clothing before reuse.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 Immediately call a poison center or doctor/physician.
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 Rinse mouth. Do not induce vomiting.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Potassium hydroxide	1310-58-3	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. Get medical attention immediately. Do not apply oils or ointments unless ordered to by a physician. If skin feels slippery, caustic may still be present in sufficient quantities to cause rash or burn.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Ingestion	Do not induce vomiting. Drink a quart of water. Never give anything by mouth to an unconscious person. Get medical attention immediately. If spontaneous vomiting occurs, keep head below hips to prevent aspiration and monitor breathing.

Most important symptoms and effects

Symptoms	Irritation and corrosive burns to mouth, throat, and stomach. May cause pain, conjunctivitis of the eyes or burns. Prolonged contact may even cause severe skin irritation or mild burn. May cause damage to upper respiratory tract, mucous membranes and lung tissue.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Avoid contact with water as exothermic reaction may result.

Specific Hazards Arising from the Chemical

Contact with metals may evolve flammable hydrogen gas. Contents are corrosive and all personal contact must be avoided. Product reacts exothermically with water.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Contain and collect with an inert absorbent and place into an appropriate container for disposal. Neutralize solution with a dilute acid. Spills and releases may have to be reported to Federal and/or local authorities. See section 15.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Protect from direct sunlight. Keep from freezing.

Incompatible Materials Do not mix this product with other cleaning materials, especially acids or strong oxidizing agents such as bleach. Metals such as aluminum, tin, and zinc. Leather. Organic halogen compounds. Organic nitro compounds. Acids. Wool.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Goggles.

Skin and Body Protection Wear rubber, neoprene, vinyl, or PVC gloves.

Respiratory Protection General ventilation is normally adequate. Use appropriate respiratory protection if application method produces a fine spray or mists.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	No odor
Appearance	Clear or slightly hazy pink syrupy liquid	Odor Threshold	Not determined
Color	Pink		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	13-14	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	133 °C / 271 °F	
Flash Point	None	
Evaporation Rate	< 1	(Water = 1)
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	2 mm Hg	
Vapor Density	Not available	
Specific Gravity	1.46	(Water = 1)
Water Solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
VOC Content	None	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Reacts with metals to form flammable hydrogen gas. Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Do not mix this product with other cleaning materials, especially acids or strong oxidizing agents such as bleach. Metals such as aluminum, tin, and zinc. Leather. Organic halogen compounds. Organic nitro compounds. Acids. Wool.

Hazardous Decomposition Products

Reactions with metals may produce hydrogen gas.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not determined

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

- Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.
- Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

- UN/ID No** UN1814
- Proper Shipping Name** Potassium hydroxide, solution
- Hazard Class** 8
- Packing Group** II

IATA

- UN/ID No** UN1814
- Proper Shipping Name** Potassium hydroxide, solution
- Hazard Class** 8
- Packing Group** II

IMDG

- UN/ID No** UN1814
- Proper Shipping Name** Potassium hydroxide, solution
- Hazard Class** 8
- Packing Group** II

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
 Reactive Hazard Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3 (Proprietary)	1000 lb			X

US State Regulations

California Proposition 65

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
HMIS	Health Hazards 3	Flammability 0	Physical Hazards 2	Personal Protection N & P

Issue Date: 08-Jun-2016
 Revision Date: 13-Sep-2016
 Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet