

UNITED

L A B O R A T O R I E S

UNITED CAIROX® is a specialized oxidant that quickly handles extreme odor situations in wastewater treatment plants and collection systems.

UNITED CAIROX®:

- Effective on H₂S, mercaptans and other noxious odor compounds.
- Prevents sulfide-based corrosion.
- Eliminates the health risks associated with H₂S exposure.

Use this product to control odors and H₂S problems in:

- Lift Stations
- Sludge Processing
- Headworks
- Clarifiers
- Dewatering
- Belt Presses and Centrifuges
- Scum Pits
- Lagoons

UNITED CAIROX® can be applied manually by spreading across area to be treated. Consult your United Wastewater Specialist for details.

Meets AWWA Standard B 603.

HMIS® III CODE 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE PERSONAL PROTECTION INDEX Goggles, Apron, Respirator and Gloves	HEALTH	1
	FLAMMABILITY	0
	PHYSICAL HAZARD	0
	PERSONAL PROTECTION	F

Net Contents: 1 x 55 Pounds

For industrial use only.



Manufactured and Printed in U.S.A.

214

United 976

UNITED CAIROX®

Granular Permanganate

**KEEP OUT OF REACH OF CHILDREN.
DANGER**
**STRONG OXIDIZER, CONTACT WITH
ACIDS, ORGANIC CHEMICALS, OR
OTHER COMBUSTIBLE MATERIAL MAY
CAUSE FIRE OR EXPLOSION.**

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.**

PRECAUCION AL USUARIO: Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

Contains: Potassium Permanganate (CAS #7722-64-7)

Strong Oxidizer! Do not use for fumigation. Do not mix with aqueous formaldehyde solution (Formalin). Risk of fire or explosion exists.

Harmful if swallowed. Avoid contact with eyes, skin and mucous membranes. Prolonged inhalation of manganese compounds above the threshold limit value may cause lung irritation and central nervous system disorders.

FIRE OR SPILL:

In case of fire, flood with water. In case of spill, contain spill, scoop into a clean drum. Spilled product must not be returned to original container. Flush contaminated area with large quantities of water. Do NOT use paper or cloth to clean up spills.

HANDLING AND STORAGE:

When handling, use safety goggles, rubber gloves and a respirator. Do not breathe dust. Keep away from heat, sparks, open flames and hot surfaces. Do not smoke when using or near product.

Store product in a tightly closed container and keep away from heat, organic materials, acids, peroxides and other combustible materials.

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes holding lids apart to ensure flushing of the entire surface. Do not attempt to neutralize chemically. Seek medical attention immediately.

SKIN: Immediately wash contaminated areas with water. Remove contaminated clothing and footwear. Wash clothing and decontaminate footwear before reuse. Seek medical attention immediately if irritation is severe or persistent.

INHALATION: Remove person from contaminated area to fresh air. If breathing has stopped, resuscitate and administer oxygen if readily available. Seek medical attention immediately.

INGESTION: Never give anything by mouth to an unconscious or convulsing person. If person is conscious, give large quantities of water. Seek medical attention immediately.

An MSDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product. Never reuse empty containers. Incompatible materials may adversely react.

CONTAINER DISPOSAL:

Rinse container at least three times to an absence of pink color before disposing.